

BATTERY TEST DATA REPORT

DateTime	Voltage(V)	Current(A)	Capacity(AH)
2014-08-26 11:16:35	4.1791	0.0000	0.00000
2014-08-26 11:16:36	3.7617	20.0000	0.03729
2014-08-26 11:16:37	3.7382	20.0000	0.04300
2014-08-26 11:16:38	3.7279	20.0001	0.04872
2014-08-26 11:16:39	3.7107	20.0001	0.05372
2014-08-26 11:16:40	3.7021	20.0001	0.05943
2014-08-26 11:16:41	3.6934	20.0001	0.06443
2014-08-26 11:16:42	3.6852	20.0001	0.07014
2014-08-26 11:16:43	3.6831	20.0000	0.07586
2014-08-26 11:16:44	3.6751	20.0000	0.08157
2014-08-26 11:16:45	3.6677	20.0000	0.08657
2014-08-26 11:16:46	3.6592	20.0000	0.09228
2014-08-26 11:16:47	3.6583	20.0000	0.09800
2014-08-26 11:16:48	3.6509	20.0000	0.10371
2014-08-26 11:16:49	3.6495	20.0000	0.10871
2014-08-26 11:16:50	3.6465	20.0000	0.11442
2014-08-26 11:16:51	3.6430	20.0000	0.12085
2014-08-26 11:16:52	3.6384	20.0001	0.12585
2014-08-26 11:16:53	3.6347	20.0001	0.13156
2014-08-26 11:16:54	3.6316	20.0001	0.13727
2014-08-26 11:16:55	3.6281	20.0001	0.14227
2014-08-26 11:16:56	3.6250	20.0001	0.14798
2014-08-26 11:16:57	3.6217	20.0001	0.15298
2014-08-26 11:16:58	3.6181	20.0002	0.15940
2014-08-26 11:16:59	3.6155	20.0002	0.16512
2014-08-26 11:17:00	3.6127	20.0002	0.17012
2014-08-26 11:17:01	3.6098	20.0002	0.17583
2014-08-26 11:17:02	3.6074	20.0002	0.18083
2014-08-26 11:17:03	3.6048	20.0002	0.18654
2014-08-26 11:17:04	3.6021	20.0002	0.19153
2014-08-26 11:17:05	3.5997	20.0003	0.19796
2014-08-26 11:17:06	3.5974	20.0003	0.20367
2014-08-26 11:17:07	3.5952	20.0002	0.20867
2014-08-26 11:17:08	3.5934	20.0002	0.21439
2014-08-26 11:17:09	3.5915	20.0002	0.22010
2014-08-26 11:17:10	3.5895	20.0002	0.22581
2014-08-26 11:17:11	3.5876	20.0002	0.23081
2014-08-26 11:17:12	3.5856	20.0002	0.23581
2014-08-26 11:17:13	3.5837	20.0002	0.24153
2014-08-26 11:17:14	3.5819	20.0002	0.24795
2014-08-26 11:17:15	3.5805	20.0001	0.25367
2014-08-26 11:17:16	3.5788	20.0001	0.25867
2014-08-26 11:17:17	3.5773	20.0001	0.26438
2014-08-26 11:17:18	3.5753	20.0002	0.26938

DateTime	Voltage(V)	Current(A)	Capacity(AH)
2014-08-26 11:17:19	3.5739	20.0002	0.27509
2014-08-26 11:17:20	3.5724	20.0001	0.28081
2014-08-26 11:17:21	3.5711	20.0001	0.28652
2014-08-26 11:17:22	3.5698	20.0002	0.29223
2014-08-26 11:17:23	3.5684	20.0002	0.29723
2014-08-26 11:17:24	3.5674	20.0001	0.30295
2014-08-26 11:17:25	3.5663	20.0002	0.30866
2014-08-26 11:17:26	3.5648	20.0002	0.31438
2014-08-26 11:17:27	3.5636	20.0002	0.31937
2014-08-26 11:17:28	3.5625	20.0002	0.32509
2014-08-26 11:17:29	3.5612	20.0001	0.33080
2014-08-26 11:17:30	3.5602	20.0001	0.33579
2014-08-26 11:17:31	3.5593	20.0001	0.34151
2014-08-26 11:17:32	3.5582	20.0002	0.34722
2014-08-26 11:17:33	3.5573	20.0002	0.35365
2014-08-26 11:17:34	3.5563	20.0001	0.35865
2014-08-26 11:17:35	3.5554	20.0001	0.36436
2014-08-26 11:17:36	3.5544	20.0001	0.36935
2014-08-26 11:17:37	3.5535	20.0002	0.37507
2014-08-26 11:17:38	3.5525	20.0002	0.38007
2014-08-26 11:17:39	3.5515	20.0001	0.38578
2014-08-26 11:17:40	3.5506	20.0002	0.39220
2014-08-26 11:17:41	3.5496	20.0002	0.39792
2014-08-26 11:17:42	3.5488	20.0002	0.40292
2014-08-26 11:17:43	3.5480	20.0002	0.40792
2014-08-26 11:17:44	3.5472	20.0002	0.41363
2014-08-26 11:17:45	3.5463	20.0002	0.41934
2014-08-26 11:17:46	3.5456	20.0002	0.42505
2014-08-26 11:17:47	3.5447	20.0002	0.43076
2014-08-26 11:17:48	3.5439	20.0002	0.43576
2014-08-26 11:17:49	3.5432	20.0002	0.44147
2014-08-26 11:17:50	3.5423	20.0002	0.44719
2014-08-26 11:17:51	3.5416	20.0001	0.45290
2014-08-26 11:17:52	3.5408	20.0002	0.45790
2014-08-26 11:17:53	3.5400	20.0002	0.46361
2014-08-26 11:17:54	3.5392	20.0002	0.46932
2014-08-26 11:17:55	3.5385	20.0002	0.47504
2014-08-26 11:17:56	3.5377	20.0002	0.48003
2014-08-26 11:17:57	3.5370	20.0002	0.48575
2014-08-26 11:17:58	3.5362	20.0002	0.49146
2014-08-26 11:17:59	3.5355	20.0002	0.49646
2014-08-26 11:18:00	3.5348	20.0002	0.50217
2014-08-26 11:18:01	3.5341	20.0002	0.50788
2014-08-26 11:18:02	3.5335	20.0002	0.51360
2014-08-26 11:18:03	3.5328	20.0002	0.51931
2014-08-26 11:18:04	3.5319	20.0002	0.52502
2014-08-26 11:18:05	3.5313	20.0002	0.53002

DateTime	Voltage(V)	Current(A)	Capacity(AH)
2014-08-26 11:18:06	3.5306	20.0002	0.53573
2014-08-26 11:18:07	3.5299	20.0002	0.54073
2014-08-26 11:18:08	3.5293	20.0002	0.54715
2014-08-26 11:18:09	3.5286	20.0002	0.55215
2014-08-26 11:18:10	3.5280	20.0002	0.55786
2014-08-26 11:18:11	3.5272	20.0002	0.56357
2014-08-26 11:18:12	3.5265	20.0002	0.56928
2014-08-26 11:18:13	3.5258	20.0002	0.57428
2014-08-26 11:18:14	3.5252	20.0002	0.57999
2014-08-26 11:18:15	3.5246	20.0002	0.58570
2014-08-26 11:18:16	3.5238	20.0002	0.59069
2014-08-26 11:18:17	3.5229	20.0002	0.59712
2014-08-26 11:18:18	3.5222	20.0002	0.60212
2014-08-26 11:18:19	3.5216	20.0002	0.60783
2014-08-26 11:18:20	3.5210	20.0002	0.61354
2014-08-26 11:18:21	3.5204	20.0002	0.61854
2014-08-26 11:18:22	3.5197	20.0002	0.62425
2014-08-26 11:18:23	3.5190	20.0002	0.62996
2014-08-26 11:18:24	3.5184	20.0002	0.63496
2014-08-26 11:18:25	3.5175	20.0002	0.64067
2014-08-26 11:18:26	3.5168	20.0002	0.64710
2014-08-26 11:18:27	3.5161	20.0002	0.65209
2014-08-26 11:18:28	3.5154	20.0002	0.65780
2014-08-26 11:18:29	3.5147	20.0002	0.66351
2014-08-26 11:18:30	3.5141	20.0003	0.66851
2014-08-26 11:18:31	3.5133	20.0003	0.67422
2014-08-26 11:18:32	3.5127	20.0003	0.67922
2014-08-26 11:18:33	3.5121	20.0003	0.68493
2014-08-26 11:18:34	3.5113	20.0003	0.69136
2014-08-26 11:18:35	3.5106	20.0002	0.69635
2014-08-26 11:18:36	3.5098	20.0003	0.70207
2014-08-26 11:18:37	3.5091	20.0003	0.70706
2014-08-26 11:18:38	3.5085	20.0003	0.71278
2014-08-26 11:18:39	3.5078	20.0003	0.71849
2014-08-26 11:18:40	3.5072	20.0003	0.72420
2014-08-26 11:18:41	3.5064	20.0003	0.72920
2014-08-26 11:18:42	3.5054	20.0003	0.73562
2014-08-26 11:18:43	3.5048	20.0003	0.74062
2014-08-26 11:18:44	3.5041	20.0003	0.74633
2014-08-26 11:18:45	3.5033	20.0003	0.75133
2014-08-26 11:18:46	3.5026	20.0003	0.75704
2014-08-26 11:18:47	3.5019	20.0003	0.76275
2014-08-26 11:18:48	3.5011	20.0003	0.76918
2014-08-26 11:18:49	3.5003	20.0003	0.77417
2014-08-26 11:18:50	3.4996	20.0003	0.77917
2014-08-26 11:18:51	3.4989	20.0004	0.78488
2014-08-26 11:18:52	3.4981	20.0003	0.79059

DateTime	Voltage(V)	Current(A)	Capacity(AH)
2014-08-26 11:18:53	3.4974	20.0003	0.79559
2014-08-26 11:18:54	3.4966	20.0003	0.80130
2014-08-26 11:18:55	3.4958	20.0003	0.80773
2014-08-26 11:18:56	3.4952	20.0003	0.81344
2014-08-26 11:18:57	3.4943	20.0003	0.81844
2014-08-26 11:18:58	3.4935	20.0003	0.82344
2014-08-26 11:18:59	3.4929	20.0003	0.82915
2014-08-26 11:19:00	3.4921	20.0003	0.83486
2014-08-26 11:19:01	3.4912	20.0003	0.83986
2014-08-26 11:19:02	3.4905	20.0003	0.84628
2014-08-26 11:19:03	3.4898	20.0003	0.85199
2014-08-26 11:19:04	3.4889	20.0003	0.85699
2014-08-26 11:19:05	3.4882	20.0003	0.86270
2014-08-26 11:19:06	3.4874	20.0003	0.86770
2014-08-26 11:19:07	3.4866	20.0003	0.87341
2014-08-26 11:19:08	3.4857	20.0003	0.87912
2014-08-26 11:19:09	3.4848	20.0003	0.88483
2014-08-26 11:19:10	3.4839	20.0003	0.89054
2014-08-26 11:19:11	3.4831	20.0003	0.89554
2014-08-26 11:19:12	3.4824	20.0004	0.90196
2014-08-26 11:19:13	3.4816	20.0004	0.90696
2014-08-26 11:19:14	3.4807	20.0003	0.91196
2014-08-26 11:19:15	3.4801	20.0003	0.91767
2014-08-26 11:19:16	3.4793	20.0003	0.92409
2014-08-26 11:19:17	3.4785	20.0003	0.92909
2014-08-26 11:19:18	3.4775	20.0003	0.93480
2014-08-26 11:19:19	3.4768	20.0003	0.94051
2014-08-26 11:19:20	3.4759	20.0003	0.94550
2014-08-26 11:19:21	3.4751	20.0003	0.95122
2014-08-26 11:19:22	3.4742	20.0003	0.95622
2014-08-26 11:19:23	3.4734	20.0003	0.96264
2014-08-26 11:19:24	3.4725	20.0003	0.96764
2014-08-26 11:19:25	3.4717	20.0003	0.97335
2014-08-26 11:19:26	3.4709	20.0003	0.97906
2014-08-26 11:19:27	3.4699	20.0003	0.98405
2014-08-26 11:19:28	3.4692	20.0003	0.98976
2014-08-26 11:19:29	3.4682	20.0003	0.99548
2014-08-26 11:19:30	3.4673	20.0003	1.00118
2014-08-26 11:19:31	3.4663	20.0003	1.00690
2014-08-26 11:19:32	3.4655	20.0004	1.01190
2014-08-26 11:19:33	3.4647	20.0004	1.01761
2014-08-26 11:19:34	3.4638	20.0003	1.02332
2014-08-26 11:19:35	3.4631	20.0004	1.02903
2014-08-26 11:19:36	3.4622	20.0004	1.03403
2014-08-26 11:19:37	3.4614	20.0003	1.03974
2014-08-26 11:19:38	3.4605	20.0003	1.04545
2014-08-26 11:19:39	3.4597	20.0003	1.05116

DateTime	Voltage(V)	Current(A)	Capacity(AH)
2014-08-26 11:19:40	3.4588	20.0003	1.05616
2014-08-26 11:19:41	3.4579	20.0003	1.06187
2014-08-26 11:19:42	3.4570	20.0003	1.06758
2014-08-26 11:19:43	3.4561	20.0003	1.07329
2014-08-26 11:19:44	3.4551	20.0003	1.07900
2014-08-26 11:19:45	3.4543	20.0003	1.08471
2014-08-26 11:19:46	3.4534	20.0003	1.08971
2014-08-26 11:19:47	3.4525	20.0003	1.09542
2014-08-26 11:19:48	3.4515	20.0003	1.10041
2014-08-26 11:19:49	3.4506	20.0003	1.10612
2014-08-26 11:19:50	3.4495	20.0003	1.11183
2014-08-26 11:19:51	3.4486	20.0003	1.11754
2014-08-26 11:19:52	3.4477	20.0003	1.12325
2014-08-26 11:19:53	3.4468	20.0003	1.12825
2014-08-26 11:19:54	3.4459	20.0003	1.13396
2014-08-26 11:19:55	3.4448	20.0003	1.13896
2014-08-26 11:19:56	3.4439	20.0003	1.14539
2014-08-26 11:19:57	3.4430	20.0003	1.15110
2014-08-26 11:19:58	3.4421	20.0003	1.15610
2014-08-26 11:19:59	3.4412	20.0003	1.16181
2014-08-26 11:20:00	3.4401	20.0003	1.16752
2014-08-26 11:20:01	3.4392	20.0003	1.17252
2014-08-26 11:20:02	3.4380	20.0003	1.17894
2014-08-26 11:20:03	3.4370	20.0003	1.18394
2014-08-26 11:20:04	3.4362	20.0004	1.18965
2014-08-26 11:20:05	3.4353	20.0003	1.19536
2014-08-26 11:20:06	3.4343	20.0003	1.20108
2014-08-26 11:20:07	3.4334	20.0004	1.20607
2014-08-26 11:20:08	3.4324	20.0004	1.21178
2014-08-26 11:20:09	3.4315	20.0003	1.21678
2014-08-26 11:20:10	3.4304	20.0003	1.22320
2014-08-26 11:20:11	3.4293	20.0003	1.22820
2014-08-26 11:20:12	3.4284	20.0003	1.23391
2014-08-26 11:20:13	3.4274	20.0003	1.23962
2014-08-26 11:20:14	3.4265	20.0003	1.24462
2014-08-26 11:20:15	3.4255	20.0004	1.25033
2014-08-26 11:20:16	3.4245	20.0004	1.25604
2014-08-26 11:20:17	3.4234	20.0003	1.26175
2014-08-26 11:20:18	3.4225	20.0003	1.26745
2014-08-26 11:20:19	3.4215	20.0003	1.27245
2014-08-26 11:20:20	3.4205	20.0004	1.27816
2014-08-26 11:20:21	3.4195	20.0004	1.28316
2014-08-26 11:20:22	3.4185	20.0004	1.28887
2014-08-26 11:20:23	3.4172	20.0004	1.29530
2014-08-26 11:20:24	3.4163	20.0004	1.30030
2014-08-26 11:20:25	3.4154	20.0004	1.30601
2014-08-26 11:20:26	3.4143	20.0004	1.31100

DateTime	Voltage(V)	Current(A)	Capacity(AH)
2014-08-26 11:20:27	3.4132	20.0004	1.31672
2014-08-26 11:20:28	3.4121	20.0004	1.32243
2014-08-26 11:20:29	3.4113	20.0004	1.32743
2014-08-26 11:20:30	3.4101	20.0004	1.33385
2014-08-26 11:20:31	3.4090	20.0004	1.33957
2014-08-26 11:20:32	3.4078	20.0004	1.34528
2014-08-26 11:20:33	3.4067	20.0003	1.35028
2014-08-26 11:20:34	3.4056	20.0004	1.35599
2014-08-26 11:20:35	3.4046	20.0004	1.36098
2014-08-26 11:20:36	3.4035	20.0004	1.36670
2014-08-26 11:20:37	3.4024	20.0004	1.37170
2014-08-26 11:20:38	3.4013	20.0004	1.37812
2014-08-26 11:20:39	3.4003	20.0004	1.38383
2014-08-26 11:20:40	3.3993	20.0004	1.38954
2014-08-26 11:20:41	3.3983	20.0004	1.39454
2014-08-26 11:20:42	3.3972	20.0004	1.40025
2014-08-26 11:20:43	3.3960	20.0004	1.40524
2014-08-26 11:20:44	3.3947	20.0004	1.41167
2014-08-26 11:20:45	3.3937	20.0004	1.41738
2014-08-26 11:20:46	3.3926	20.0004	1.42238
2014-08-26 11:20:47	3.3915	20.0004	1.42809
2014-08-26 11:20:48	3.3905	20.0004	1.43309
2014-08-26 11:20:49	3.3893	20.0004	1.43880
2014-08-26 11:20:50	3.3881	20.0004	1.44451
2014-08-26 11:20:51	3.3870	20.0004	1.45022
2014-08-26 11:20:52	3.3860	20.0005	1.45593
2014-08-26 11:20:53	3.3848	20.0005	1.46093
2014-08-26 11:20:54	3.3837	20.0004	1.46664
2014-08-26 11:20:55	3.3825	20.0004	1.47164
2014-08-26 11:20:56	3.3815	20.0005	1.47735
2014-08-26 11:20:57	3.3804	20.0005	1.48307
2014-08-26 11:20:58	3.3792	20.0005	1.48878
2014-08-26 11:20:59	3.3780	20.0004	1.49449
2014-08-26 11:21:00	3.3771	20.0004	1.50020
2014-08-26 11:21:01	3.3759	20.0004	1.50520
2014-08-26 11:21:02	3.3746	20.0005	1.51091
2014-08-26 11:21:03	3.3735	20.0004	1.51590
2014-08-26 11:21:04	3.3725	20.0004	1.52161
2014-08-26 11:21:05	3.3711	20.0004	1.52804
2014-08-26 11:21:06	3.3702	20.0005	1.53375
2014-08-26 11:21:07	3.3689	20.0005	1.53875
2014-08-26 11:21:08	3.3679	20.0004	1.54446
2014-08-26 11:21:09	3.3666	20.0005	1.54945
2014-08-26 11:21:10	3.3655	20.0005	1.55516
2014-08-26 11:21:11	3.3643	20.0005	1.56016
2014-08-26 11:21:12	3.3631	20.0005	1.56658
2014-08-26 11:21:13	3.3620	20.0005	1.57158

DateTime	Voltage(V)	Current(A)	Capacity(AH)
2014-08-26 11:21:14	3.3608	20.0005	1.57801
2014-08-26 11:21:15	3.3597	20.0005	1.58300
2014-08-26 11:21:16	3.3584	20.0005	1.58872
2014-08-26 11:21:17	3.3572	20.0004	1.59371
2014-08-26 11:21:18	3.3561	20.0004	1.59943
2014-08-26 11:21:19	3.3549	20.0005	1.60514
2014-08-26 11:21:20	3.3538	20.0004	1.61085
2014-08-26 11:21:21	3.3525	20.0005	1.61656
2014-08-26 11:21:22	3.3512	20.0005	1.62156
2014-08-26 11:21:23	3.3501	20.0005	1.62727
2014-08-26 11:21:24	3.3491	20.0005	1.63298
2014-08-26 11:21:25	3.3479	20.0005	1.63798
2014-08-26 11:21:26	3.3466	20.0005	1.64369
2014-08-26 11:21:27	3.3454	20.0005	1.65011
2014-08-26 11:21:28	3.3442	20.0005	1.65511
2014-08-26 11:21:29	3.3430	20.0005	1.66082
2014-08-26 11:21:30	3.3419	20.0005	1.66653
2014-08-26 11:21:31	3.3406	20.0005	1.67153
2014-08-26 11:21:32	3.3395	20.0005	1.67724
2014-08-26 11:21:33	3.3383	20.0005	1.68223
2014-08-26 11:21:34	3.3372	20.0005	1.68795
2014-08-26 11:21:35	3.3359	20.0005	1.69365
2014-08-26 11:21:36	3.3348	20.0005	1.69937
2014-08-26 11:21:37	3.3337	20.0005	1.70437
2014-08-26 11:21:38	3.3327	20.0005	1.71079
2014-08-26 11:21:39	3.3314	20.0005	1.71579
2014-08-26 11:21:40	3.3303	20.0005	1.72150
2014-08-26 11:21:41	3.3290	20.0005	1.72721
2014-08-26 11:21:42	3.3277	20.0005	1.73292
2014-08-26 11:21:43	3.3266	20.0005	1.73863
2014-08-26 11:21:44	3.3255	20.0005	1.74363
2014-08-26 11:21:45	3.3244	20.0005	1.74863
2014-08-26 11:21:46	3.3230	20.0005	1.75434
2014-08-26 11:21:47	3.3220	20.0005	1.76005
2014-08-26 11:21:48	3.3208	20.0005	1.76647
2014-08-26 11:21:49	3.3197	20.0005	1.77146
2014-08-26 11:21:50	3.3186	20.0005	1.77718
2014-08-26 11:21:51	3.3173	20.0005	1.78217
2014-08-26 11:21:52	3.3161	20.0005	1.78788
2014-08-26 11:21:53	3.3149	20.0005	1.79288
2014-08-26 11:21:54	3.3136	20.0005	1.79930
2014-08-26 11:21:55	3.3125	20.0005	1.80502
2014-08-26 11:21:56	3.3114	20.0005	1.81001
2014-08-26 11:21:57	3.3102	20.0004	1.81573
2014-08-26 11:21:58	3.3091	20.0004	1.82072
2014-08-26 11:21:59	3.3080	20.0004	1.82643
2014-08-26 11:22:00	3.3067	20.0004	1.83285

DateTime	Voltage(V)	Current(A)	Capacity(AH)
2014-08-26 11:22:01	3.3057	20.0005	1.83857
2014-08-26 11:22:02	3.3046	20.0005	1.84356
2014-08-26 11:22:03	3.3036	20.0004	1.84927
2014-08-26 11:22:04	3.3022	20.0004	1.85427
2014-08-26 11:22:05	3.3011	20.0004	1.85999
2014-08-26 11:22:06	3.2998	20.0004	1.86570
2014-08-26 11:22:07	3.2988	20.0004	1.87141
2014-08-26 11:22:08	3.2975	20.0005	1.87712
2014-08-26 11:22:09	3.2964	20.0005	1.88283
2014-08-26 11:22:10	3.2952	20.0005	1.88783
2014-08-26 11:22:11	3.2943	20.0005	1.89354
2014-08-26 11:22:12	3.2931	20.0005	1.89925
2014-08-26 11:22:13	3.2919	20.0004	1.90424
2014-08-26 11:22:14	3.2910	20.0004	1.90995
2014-08-26 11:22:15	3.2897	20.0004	1.91566
2014-08-26 11:22:16	3.2885	20.0004	1.92137
2014-08-26 11:22:17	3.2875	20.0004	1.92709
2014-08-26 11:22:18	3.2864	20.0004	1.93208
2014-08-26 11:22:19	3.2854	20.0004	1.93779
2014-08-26 11:22:20	3.2842	20.0004	1.94279
2014-08-26 11:22:21	3.2829	20.0004	1.94921
2014-08-26 11:22:22	3.2818	20.0004	1.95493
2014-08-26 11:22:23	3.2807	20.0003	1.95992
2014-08-26 11:22:24	3.2796	20.0004	1.96563
2014-08-26 11:22:25	3.2786	20.0004	1.97135
2014-08-26 11:22:26	3.2774	20.0004	1.97634
2014-08-26 11:22:27	3.2763	20.0004	1.98205
2014-08-26 11:22:28	3.2754	20.0003	1.98705
2014-08-26 11:22:29	3.2742	20.0003	1.99347
2014-08-26 11:22:30	3.2732	20.0004	1.99918
2014-08-26 11:22:31	3.2720	20.0004	2.00418
2014-08-26 11:22:32	3.2708	20.0004	2.00989
2014-08-26 11:22:33	3.2697	20.0004	2.01560
2014-08-26 11:22:34	3.2685	20.0004	2.02060
2014-08-26 11:22:35	3.2674	20.0004	2.02560
2014-08-26 11:22:36	3.2663	20.0004	2.03203
2014-08-26 11:22:37	3.2654	20.0004	2.03774
2014-08-26 11:22:38	3.2642	20.0004	2.04274
2014-08-26 11:22:39	3.2632	20.0004	2.04845
2014-08-26 11:22:40	3.2621	20.0004	2.05345
2014-08-26 11:22:41	3.2611	20.0004	2.05915
2014-08-26 11:22:42	3.2598	20.0004	2.06558
2014-08-26 11:22:43	3.2589	20.0004	2.07058
2014-08-26 11:22:44	3.2577	20.0004	2.07629
2014-08-26 11:22:45	3.2567	20.0004	2.08129
2014-08-26 11:22:46	3.2558	20.0004	2.08700
2014-08-26 11:22:47	3.2547	20.0004	2.09271

DateTime	Voltage(V)	Current(A)	Capacity(AH)
2014-08-26 11:22:48	3.2535	20.0004	2.09842
2014-08-26 11:22:49	3.2524	20.0003	2.10414
2014-08-26 11:22:50	3.2512	20.0003	2.10985
2014-08-26 11:22:51	3.2504	20.0003	2.11485
2014-08-26 11:22:52	3.2493	20.0003	2.12055
2014-08-26 11:22:53	3.2482	20.0003	2.12627
2014-08-26 11:22:54	3.2470	20.0003	2.13126
2014-08-26 11:22:55	3.2461	20.0003	2.13697
2014-08-26 11:22:56	3.2452	20.0003	2.14268
2014-08-26 11:22:57	3.2440	20.0003	2.14839
2014-08-26 11:22:58	3.2431	20.0003	2.15410
2014-08-26 11:22:59	3.2420	20.0003	2.15981
2014-08-26 11:23:00	3.2409	20.0003	2.16481
2014-08-26 11:23:01	3.2398	20.0003	2.17052
2014-08-26 11:23:02	3.2388	20.0003	2.17552
2014-08-26 11:23:03	3.2376	20.0003	2.18195
2014-08-26 11:23:04	3.2368	20.0003	2.18695
2014-08-26 11:23:05	3.2356	20.0003	2.19265
2014-08-26 11:23:06	3.2346	20.0003	2.19765
2014-08-26 11:23:07	3.2335	20.0003	2.20408
2014-08-26 11:23:08	3.2325	20.0003	2.20908
2014-08-26 11:23:09	3.2315	20.0003	2.21479
2014-08-26 11:23:10	3.2303	20.0003	2.22050
2014-08-26 11:23:11	3.2293	20.0003	2.22549
2014-08-26 11:23:12	3.2282	20.0003	2.23121
2014-08-26 11:23:13	3.2270	20.0004	2.23691
2014-08-26 11:23:14	3.2261	20.0004	2.24262
2014-08-26 11:23:15	3.2251	20.0004	2.24762
2014-08-26 11:23:16	3.2242	20.0004	2.25333
2014-08-26 11:23:17	3.2230	20.0004	2.25976
2014-08-26 11:23:18	3.2220	20.0004	2.26476
2014-08-26 11:23:19	3.2211	20.0004	2.27047
2014-08-26 11:23:20	3.2200	20.0004	2.27547
2014-08-26 11:23:21	3.2189	20.0004	2.28118
2014-08-26 11:23:22	3.2179	20.0004	2.28618
2014-08-26 11:23:23	3.2167	20.0004	2.29260
2014-08-26 11:23:24	3.2157	20.0004	2.29760
2014-08-26 11:23:25	3.2148	20.0004	2.30331
2014-08-26 11:23:26	3.2139	20.0004	2.30831
2014-08-26 11:23:27	3.2130	20.0004	2.31402
2014-08-26 11:23:28	3.2119	20.0004	2.31973
2014-08-26 11:23:29	3.2108	20.0003	2.32615
2014-08-26 11:23:30	3.2097	20.0003	2.33115
2014-08-26 11:23:31	3.2087	20.0003	2.33686
2014-08-26 11:23:32	3.2078	20.0003	2.34256
2014-08-26 11:23:33	3.2067	20.0003	2.34756
2014-08-26 11:23:34	3.2056	20.0002	2.35256

DateTime	Voltage(V)	Current(A)	Capacity(AH)
2014-08-26 11:23:35	3.2047	20.0002	2.35898
2014-08-26 11:23:36	3.2033	20.0002	2.36469
2014-08-26 11:23:37	3.2023	20.0002	2.36969
2014-08-26 11:23:38	3.2012	20.0002	2.37540
2014-08-26 11:23:39	3.2000	20.0002	2.38040
2014-08-26 11:23:40	3.1991	20.0002	2.38611
2014-08-26 11:23:41	3.1981	20.0002	2.39182
2014-08-26 11:23:42	3.1969	20.0002	2.39753
2014-08-26 11:23:43	3.1958	20.0003	2.40324
2014-08-26 11:23:44	3.1950	20.0002	2.40824
2014-08-26 11:23:45	3.1938	20.0002	2.41395
2014-08-26 11:23:46	3.1927	20.0002	2.41966
2014-08-26 11:23:47	3.1917	20.0003	2.42537
2014-08-26 11:23:48	3.1907	20.0002	2.43037
2014-08-26 11:23:49	3.1894	20.0002	2.43679
2014-08-26 11:23:50	3.1884	20.0003	2.44179
2014-08-26 11:23:51	3.1873	20.0003	2.44750
2014-08-26 11:23:52	3.1862	20.0002	2.45321
2014-08-26 11:23:53	3.1850	20.0002	2.45821
2014-08-26 11:23:54	3.1841	20.0003	2.46393
2014-08-26 11:23:55	3.1831	20.0003	2.46892
2014-08-26 11:23:56	3.1819	20.0002	2.47535
2014-08-26 11:23:57	3.1809	20.0003	2.48034
2014-08-26 11:23:58	3.1796	20.0002	2.48605
2014-08-26 11:23:59	3.1784	20.0002	2.49176
2014-08-26 11:24:00	3.1775	20.0002	2.49747
2014-08-26 11:24:01	3.1764	20.0002	2.50247
2014-08-26 11:24:02	3.1751	20.0002	2.50818
2014-08-26 11:24:03	3.1739	20.0002	2.51389
2014-08-26 11:24:04	3.1727	20.0002	2.51960
2014-08-26 11:24:05	3.1715	20.0002	2.52460
2014-08-26 11:24:06	3.1705	20.0002	2.53031
2014-08-26 11:24:07	3.1694	20.0002	2.53531
2014-08-26 11:24:08	3.1683	20.0002	2.54173
2014-08-26 11:24:09	3.1669	20.0002	2.54744
2014-08-26 11:24:10	3.1656	20.0003	2.55244
2014-08-26 11:24:11	3.1645	20.0003	2.55815
2014-08-26 11:24:12	3.1635	20.0002	2.56386
2014-08-26 11:24:13	3.1622	20.0002	2.56886
2014-08-26 11:24:14	3.1611	20.0002	2.57457
2014-08-26 11:24:15	3.1597	20.0002	2.58028
2014-08-26 11:24:16	3.1584	20.0002	2.58599
2014-08-26 11:24:17	3.1574	20.0002	2.59170
2014-08-26 11:24:18	3.1559	20.0002	2.59670
2014-08-26 11:24:19	3.1547	20.0002	2.60240
2014-08-26 11:24:20	3.1534	20.0002	2.60740
2014-08-26 11:24:21	3.1523	20.0002	2.61311

DateTime	Voltage(V)	Current(A)	Capacity(AH)
2014-08-26 11:24:22	3.1510	20.0002	2.61882
2014-08-26 11:24:23	3.1498	20.0002	2.62454
2014-08-26 11:24:24	3.1483	20.0002	2.63025
2014-08-26 11:24:25	3.1470	20.0002	2.63525
2014-08-26 11:24:26	3.1458	20.0002	2.64167
2014-08-26 11:24:27	3.1444	20.0002	2.64667
2014-08-26 11:24:28	3.1432	20.0002	2.65238
2014-08-26 11:24:29	3.1418	20.0002	2.65737
2014-08-26 11:24:30	3.1403	20.0003	2.66380
2014-08-26 11:24:31	3.1390	20.0002	2.66879
2014-08-26 11:24:32	3.1375	20.0002	2.67450
2014-08-26 11:24:33	3.1363	20.0003	2.68021
2014-08-26 11:24:34	3.1349	20.0003	2.68521
2014-08-26 11:24:35	3.1335	20.0002	2.69092
2014-08-26 11:24:36	3.1320	20.0002	2.69663
2014-08-26 11:24:37	3.1304	20.0002	2.70234
2014-08-26 11:24:38	3.1288	20.0002	2.70733
2014-08-26 11:24:39	3.1273	20.0002	2.71304
2014-08-26 11:24:40	3.1258	20.0002	2.71876
2014-08-26 11:24:41	3.1242	20.0002	2.72375
2014-08-26 11:24:42	3.1228	20.0002	2.72946
2014-08-26 11:24:43	3.1212	20.0002	2.73517
2014-08-26 11:24:44	3.1197	20.0002	2.74088
2014-08-26 11:24:45	3.1180	20.0002	2.74659
2014-08-26 11:24:46	3.1167	20.0002	2.75159
2014-08-26 11:24:47	3.1150	20.0003	2.75730
2014-08-26 11:24:48	3.1132	20.0002	2.76301
2014-08-26 11:24:49	3.1115	20.0002	2.76800
2014-08-26 11:24:50	3.1099	20.0002	2.77371
2014-08-26 11:24:51	3.1080	20.0003	2.77943
2014-08-26 11:24:52	3.1064	20.0002	2.78514
2014-08-26 11:24:53	3.1044	20.0002	2.79085
2014-08-26 11:24:54	3.1026	20.0002	2.79584
2014-08-26 11:24:55	3.1006	20.0002	2.80155
2014-08-26 11:24:56	3.0989	20.0002	2.80726
2014-08-26 11:24:57	3.0970	20.0002	2.81297
2014-08-26 11:24:58	3.0950	20.0002	2.81797
2014-08-26 11:24:59	3.0931	20.0002	2.82368
2014-08-26 11:25:00	3.0911	20.0002	2.82939
2014-08-26 11:25:01	3.0890	20.0002	2.83510
2014-08-26 11:25:02	3.0867	20.0002	2.84010
2014-08-26 11:25:03	3.0849	20.0002	2.84652
2014-08-26 11:25:04	3.0827	20.0002	2.85152
2014-08-26 11:25:05	3.0805	20.0002	2.85723
2014-08-26 11:25:06	3.0785	20.0002	2.86223
2014-08-26 11:25:07	3.0759	20.0002	2.86794
2014-08-26 11:25:08	3.0738	20.0002	2.87437

DateTime	Voltage(V)	Current(A)	Capacity(AH)
2014-08-26 11:25:09	3.0714	20.0002	2.87937
2014-08-26 11:25:10	3.0694	20.0002	2.88508
2014-08-26 11:25:11	3.0670	20.0002	2.89007
2014-08-26 11:25:12	3.0646	20.0002	2.89578
2014-08-26 11:25:13	3.0623	20.0002	2.90149
2014-08-26 11:25:14	3.0599	20.0002	2.90649
2014-08-26 11:25:15	3.0569	20.0002	2.91291
2014-08-26 11:25:16	3.0545	20.0002	2.91791
2014-08-26 11:25:17	3.0516	20.0001	2.92363
2014-08-26 11:25:18	3.0492	20.0002	2.92862
2014-08-26 11:25:19	3.0465	20.0002	2.93433
2014-08-26 11:25:20	3.0437	20.0002	2.94005
2014-08-26 11:25:21	3.0407	20.0002	2.94576
2014-08-26 11:25:22	3.0378	20.0001	2.95147
2014-08-26 11:25:23	3.0348	20.0002	2.95647
2014-08-26 11:25:24	3.0321	20.0002	2.96218
2014-08-26 11:25:25	3.0291	20.0002	2.96717
2014-08-26 11:25:26	3.0264	20.0002	2.97289
2014-08-26 11:25:27	3.0231	20.0002	2.97931
2014-08-26 11:25:28	3.0194	20.0002	2.98430
2014-08-26 11:25:29	3.0164	20.0002	2.99001
2014-08-26 11:25:30	3.0130	20.0002	2.99572
2014-08-26 11:25:31	3.0098	20.0002	3.00072
2014-08-26 11:25:32	3.0063	20.0002	3.00643
2014-08-26 11:25:33	3.0033	20.0002	3.01214
2014-08-26 11:25:34	2.9991	20.0001	3.01785
2014-08-26 11:25:35	2.9953	20.0001	3.02356
2014-08-26 11:25:36	2.9919	20.0001	3.02856
2014-08-26 11:25:37	2.9879	20.0002	3.03427
2014-08-26 11:25:38	2.9840	20.0002	3.03927
2014-08-26 11:25:39	2.9768	20.0002	3.04498
2014-08-26 11:25:40	2.9750	20.0002	3.05140
2014-08-26 11:25:41	2.9684	20.0002	3.05712
2014-08-26 11:25:42	2.9666	20.0001	3.06211
2014-08-26 11:25:43	2.9598	20.0001	3.06783
2014-08-26 11:25:44	2.9579	20.0001	3.07282
2014-08-26 11:25:45	2.9511	20.0001	3.07782
2014-08-26 11:25:46	2.9485	20.0001	3.08425
2014-08-26 11:25:47	2.9419	20.0001	3.08995
2014-08-26 11:25:48	2.9341	20.0001	3.09495
2014-08-26 11:25:49	2.9326	20.0001	3.10066
2014-08-26 11:25:50	2.9249	20.0001	3.10637
2014-08-26 11:25:51	2.9225	20.0001	3.11137
2014-08-26 11:25:52	2.9151	20.0002	3.11708
2014-08-26 11:25:53	2.9070	20.0001	3.12280
2014-08-26 11:25:54	2.8991	20.0001	3.12851
2014-08-26 11:25:55	2.8973	20.0001	3.13422

DateTime	Voltage(V)	Current(A)	Capacity(AH)
2014-08-26 11:25:56	2.8896	20.0001	3.13993
2014-08-26 11:25:57	2.8817	20.0001	3.14493
2014-08-26 11:25:58	2.8736	20.0001	3.15064
2014-08-26 11:25:59	2.8647	20.0001	3.15635
2014-08-26 11:26:00	2.8563	20.0001	3.16206
2014-08-26 11:26:01	2.8479	20.0001	3.16778
2014-08-26 11:26:02	2.8383	20.0001	3.17278
2014-08-26 11:26:03	2.8298	20.0001	3.17849
2014-08-26 11:26:04	2.8209	20.0001	3.18348
2014-08-26 11:26:05	2.8112	20.0001	3.18920
2014-08-26 11:26:06	2.7948	20.0001	3.19491
2014-08-26 11:26:07	2.7857	20.0002	3.20062
2014-08-26 11:26:08	2.7758	20.0001	3.20633
2014-08-26 11:26:09	2.7574	20.0001	3.21132